

## SAFETY DATA SHEET

SDS No. F0001

Version: 1  
Date: 24-April-2022

### SECTION 1: IDENTIFICATION

**1.1 Product identifier:** 3433 / 5087 / HT-5050 / PF-4N / PF-4S / PF-6S / AA8S / TN-9045

**1.2 Relevant identified uses of the substance or mixture and uses advised against:** Non-Asbestos Formulated Gasket Material

**1.3 Details of the supplier of the safety data sheet**

**Name:** Alkegen  
**Address:** 2885 Route 481  
Fulton, NY USA 13069  
**Telephone number:** 1-315-592-8100

**1.4 Emergency Telephone Number:** CHEMTREC: 1-800-424-9300

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the Substance or Mixture**

**MOST IMPORTANT HAZARD:** The product does not present any hazard for final use. However, during Manufacturing, processing or handling, respirable micro-fibers may be released and result in the classification of the product as hazardous.

**OSHA/GHS Classification:** Carcinogen Category 2

**2.2 Label Elements**  
**- Hazard pictograms:**



**-Signal words:** Warning! Contains Glass Fiber Respirable Size  
**-Hazard statements:** H351: Suspected of causing cancer if inhaled.  
**-Precautionary statements:** P201: Obtain special instructions before use  
P202: Do not handle until all safety precautions have been read and understood.  
P280: Wear protective clothing.  
P308+P313: IF exposed or concerned: Get medical advice or attention.  
P501: Dispose of container/contents to approved disposal site in accordance with all local and national regulations.

**2.3 Other Hazards:** None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Substance name	Contents	CAS No.	EINECS No.	Classification
Kaolin Clay	40-80%	1332-58-7	-	Not classified as hazardous
Non-Hazardous Polymers	5-20%	Proprietary	Proprietary	Not classified as hazardous
Organic Fiber	5-20%	Proprietary	Proprietary	Not classified as hazardous
Special Purpose Glass Fiber Respirable Size	1-10%	65997-17-3	266-046-0	Carc. 2 H351
Clay	<10%	Proprietary	Proprietary	Not classified as hazardous
Carbon Black (Bound)*	<5%	1333-86-4	215-609-9	Carc. 2 (H351)
Crystalline Silica, Quartz (Bound)*	<3%	14808-60-7	238-878-4	Carc 1A (H350), STOT RE 1 (H372)

See Section 16 for full text of GHS Classifications.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of First Aid Measures

<b>Eye contact:</b>	Do not rub your eyes. Dust particles may cause abrasive eye injury. Flush eyes with water, holding the eyelids apart for several minutes. Get medical attention if irritation persists.
<b>Skin contact:</b>	Do not rub or scratch. Rinse exposed skin with cold water then wash skin with soap and water. Do not use hot water as that opens skin pores and may increase fiber penetration and irritation. Remove contaminated clothing and launder before re-use. Get medical attention if irritation persists.
<b>Inhalation:</b>	Remove victim to fresh air. Drink water to clear throat and blow nose to remove dust. Get medical attention if irritation persists.
<b>Ingestion:</b>	If small quantities are swallowed, rinse out mouth with water. Drink plenty of water to help reduce irritation. If large amounts are swallowed or if irritation or discomfort occurs, get medical attention.

<b>4.2 Most Important symptoms and effects, both acute and delayed:</b>	May cause eye irritation. Fibers may penetrate the skin and cause mechanical irritation. May cause mild respiratory irritation. Suspected of causing cancer if inhaled.
-------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>4.3 Indication of any immediate medical attention and special treatment needed:</b>	Immediate treatment is not normally required.
----------------------------------------------------------------------------------------	-----------------------------------------------

See Section 11 for more detailed information on health effects.

## SECTION 5: FIREFIGHTING MEASURES

<b>5.1 Extinguishing Media:</b>	Use water, water fog, carbon dioxide, foam or dry chemical.
---------------------------------	-------------------------------------------------------------

<b>5.2 Special Hazards Arising from the Substance or Mixture:</b>	This product is not classified as flammable or combustible.
-------------------------------------------------------------------	-------------------------------------------------------------

<b>5.3 Advice for Fire-Fighters:</b>	Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing apparatus for all fires involving chemical products.
--------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective clothing and equipment (see section 8). Avoid contact with skin, eyes or clothing. Do not breathe dust.

### 6.2 Environmental Precautions:

Avoid release to the environment.

### 6.3 Methods and Material for Containment and Cleaning Up:

Pick up material and place into a container for disposal. If dust is present, wet down and collect in a manner to minimize the generation of airborne dusts or vacuum with a high efficiency vacuum cleaner. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air.).

### 6.4 Reference to Other Sections:

Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

## SECTION 7: HANDLING and STORAGE

### 7.1 Precautions for Safe Handling

Avoid contact with eyes, skin and clothing. Avoid creating and breathing dusts. Wear protective clothing and equipment as described in Section 8. Use only with adequate ventilation. Do not eat, drink or smoke when using this material. Launder contaminated clothing before re-use. Wash thoroughly with soap and water after handling. Minimize the generation and accumulation of dust. Empty containers retain product residues. Follow all SDS precautions in handling empty containers

### 7.2 Conditions for Safe Storage, Including any Incompatibilities:

Store in a dry, well-ventilated area.

### 7.3 Specific end use(s):

Filter media for the manufacture of air filters.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters:

Kaolin Clay	2 mg/m <sup>3</sup> (respirable) TWA ACGIH TLV 5 mg/m <sup>3</sup> (respirable) 15 mg/m <sup>3</sup> (total dust) TWA OSHA PEL
Non-Hazardous Polymers (as particulates not otherwise classified)	5 mg/m <sup>3</sup> (respirable) 15 mg/m <sup>3</sup> (total dust) TWA OSHA PEL
Organic Fiber (as particulates not otherwise classified)	5 mg/m <sup>3</sup> (respirable) 15 mg/m <sup>3</sup> (total dust) TWA OSHA PEL
Special Purpose Glass Fiber Respirable Size	5 mg/m <sup>3</sup> (respirable) 15 mg/m <sup>3</sup> (total dust) TWA OSHA PEL, 1 f/cc TWA OSHA HSPP** 5 mg/m <sup>3</sup> inhalable or 1 f/cc TWA ACGIH TLV
Clay (as particulates not otherwise classified)	5 mg/m <sup>3</sup> (respirable) 15 mg/m <sup>3</sup> (total dust) TWA OSHA PEL
Crystalline Silica, Quartz (Bound)*	0.05 mg/m <sup>3</sup> (respirable) TWA OSHA PEL 0.025 mg/m <sup>3</sup> (respirable) TWA ACGIH TLV
Carbon Black (Bound)*	3.5 mg/m <sup>3</sup> TWA OSHA PEL 3 mg/m <sup>3</sup> (inhalable) TWA ACGIH TLV

\*Inextricably bound within the polymer. No exposure can occur.

\*\* HSPP = OSHA voluntary Health and Safety Partnership Program

### 8.2 Exposure Controls: -Engineering Measures:

Use with adequate local exhaust ventilation to minimize exposures. Provide local exhaust ventilation where product is cut or processed in a manner that generates

dust. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

- Respiratory Protection:** If the occupational exposure limits are exceeded or irritation is experienced, wear an approved particulate respirator. Selection of respiratory protection depends on the contaminant type, form and concentration. Select and use in accordance with all applicable regulations (in the US follow OSHA 1910.134) and good Industrial Hygiene practice.
- Hand Protection:** Wear protective gloves if needed to minimize skin contact. Barrier creams may be useful in reducing irritation.
- Eye/face Protection:** Wear safety glasses with side shields or dust proof goggles for dusty conditions.
- Other Protective Clothing or Equipment:** Clothing with long sleeves and pants should be worn if needed to avoid skin contact. Washing facilities should be available in the work area.

## SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

### 9.1 Information on basic Physical and Chemical Properties

<b>Physical State:</b>	Solid, Gray or beige flexible sheeting.
<b>Color:</b>	Gray or beige
<b>Odor:</b>	Odorless.
<b>Odor Threshold:</b>	Not applicable
<b>pH:</b>	Not applicable
<b>Melting/Freezing Point:</b>	Not applicable
<b>Boiling Point:</b>	Not applicable
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Not flammable
<b>Relative Density:</b>	No data available
<b>Evaporation Rate:</b>	Not applicable
<b>(n-butylacetate =1)</b>	
<b>% Volatile by Volume:</b>	0%
<b>Lower Flammability Limit:</b>	Not applicable
<b>Upper Flammability Limit:</b>	Not applicable
<b>Vapor Pressure:</b>	Not applicable
<b>Relative Vapor Density</b>	Not applicable
<b>(Air=1):</b>	
<b>Solubility:</b>	Insoluble
<b>Autoignition</b>	
<b>Temperature:</b>	Not applicable
<b>Decomposition</b>	
<b>Temperature:</b>	Not determined
<b>Kinematic Viscosity:</b>	Not applicable
<b>Partition Coefficient n-octanol/water:</b>	No data available
<b>Explosive Properties:</b>	None.
<b>Oxidizing Properties:</b>	Not applicable
<b>Specific Gravity (H<sub>2</sub>O= 1):</b>	Not determined
<b>Molecular Formula:</b>	Not determined
<b>Molecular Weight:</b>	Not determined
<b>Particle Characteristics:</b>	No data available

9.2 Other Information: None.

## SECTION 10: STABILITY and REACTIVITY

- 10.1 Reactivity:** This material is not reactive under normal conditions.
- 10.2 Chemical Stability:** Stable
- 10.3 Possibility of Hazardous Reactions:** Will not occur.
- 10.4 Conditions to Avoid:** Avoid dust formation.
- 10.5 Incompatible Materials:** Avoid strong acids, strong oxidizing agents, strong bases.
- 10.6 Hazardous Decomposition Products:** Thermal decomposition of binder and organic fibers will generate carbon monoxide, carbon dioxide, hydrocarbons, trace hydrogen cyanide and organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects:

#### Potential Health Effects:

- Eye Contact:** Dust may cause mechanical irritation and possible injury.
- Skin contact:** Dust may cause mechanical irritation.
- Inhalation:** Dust may cause nose, throat and upper respiratory tract irritation. Symptoms include coughing, sneezing and scratchy throat.
- Ingestion:** May cause irritation of the mouth and intestinal tract.
- Acute toxicity:** Components are not acutely toxic
- Skin corrosion/irritation:** Not a skin corrosive. May cause mechanical irritation.
- Eye damage/ irritation:** Dust may cause mechanical irritation and possible injury.
- Respiratory Sensitization:** Not a respiratory sensitizer.
- Skin Sensitization:** Not a skin sensitizer.
- Germ Cell Mutagenicity:** Not classified a germ cell mutagen.
- Carcinogenicity:** Special purpose glass fibers (respirable size) are classified by NTP as reasonably anticipated to be a carcinogen. IARC has classified special purpose glass fibers as group 2B, possibly carcinogenic to humans. ACGIH has classified special purpose glass fibers as A3, confirmed animal carcinogen with unknown relevance to humans. OSHA has not classified special purpose glass fibers. Respirable crystalline silica, quartz is classified by IARC and NTP as a known human carcinogen and by OSHA as a carcinogen. Respirable carbon black is classified by IARC as a group 2B carcinogen (Possible human carcinogen). The crystalline silica and carbon black in this product are inextricably bound within a polymer matrix and will not present a risk of exposure. None of the other components are classified as a carcinogen by IARC, NTP, ACGIH, or OSHA.
- Reproductive Toxicity:** No effects on reproduction are expected.
- Specific Target Organ Toxicity:**  
Single Exposure: Not classified.  
Repeat Exposure: Not classified.
- Aspiration Toxicity:** Not an aspiration hazard.

## SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity:**  
No data available.
- 12.2 Persistence and degradability:**  
No data available.
- 12.3 Bioaccumulative Potential:**  
No data available.
- 12.4 Mobility in Soil:**  
No data available.
- 12.5 Results of PVT and vPvB assessment:**

Not required.

#### 12.6 Other Adverse Effects:

None.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste Treatment Methods:

Dispose in accordance with local, state and national regulations.

### SECTION 14: TRANSPORTATION INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT	N/A	Not classified for transport	N/A	N/A	N/A
Canadian TDG	N/A	Not classified for transport	N/A	N/A	N/A
IMDG	N/A	Not classified for transport	N/A	N/A	N/A
IATA/ICAO	N/A	Not classified for transport	N/A	N/A	N/A

14.6 Special Precautions for User: None

14.7 14.7 Transport in Bulk According to IMO Instruments: Not applicable – product not shipped in bulk.

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

##### U.S. REGULATIONS:

**CERCLA:** This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

##### SARA TITLE III:

**Hazard Category for Section 311/312:** Classified as per Section 2 of this SDS.

**Section 313 Toxic Chemicals:** This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Title III, Section 313 (40 CFR 372): None

**Section 302 Extremely Hazardous Substances (TPQ):** None

##### U.S. STATE REGULATIONS

**California Proposition 65:** This product contains special purpose glass fiber respirable size which is known to the State of California to cause cancer.

##### INTERNATIONAL REGULATIONS:

**RoHS** (Restriction on the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations): This product is RoHS compliant.

**REACH:** This product is an article and not subject to registration.

##### INTERNATIONAL INVENTORIES

**US Toxic Substances Control Act Inventory (TSCA):** This product is an article and not subject to TSCA.

**Australian Inventory of Chemical Substances:** This product is an article and not subject to chemical notification requirements.

**China Inventory of Existing Chemicals and Chemical Substances:** This product is an article and not subject to chemical notification requirements.

**Japanese Existing and New Chemical Substances:** This product is an article and not subject to chemical notification requirements.

**Korean Existing Chemicals List:** This product is an article and not subject to chemical notification requirements.

**Philippine Inventory of Chemicals and Chemical Substances:** This product is an article and not subject to chemical notification requirements.

**Canadian CEPA New Chemical Notification:** This product is an article and not subject to new chemical notification.

**New Zealand:** This product is an article and not subject to new chemical notification.

## SECTION 16: OTHER INFORMATION

**SDS Date of preparation/revision:** April 24, 2022: New SDS.

**Revision History:** N/A

CLP/GHS Classification and H Phrases for Reference (See Section 3)

Carc 1A Carcinogen Category 1

Carc. 2 Carcinogen Category 2

STOT RE1 Specific Target Organ Toxicity Repeated Exposure Category 1

H350 May cause cancer

H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure

### DEFINITIONS/ ABBREVIATIONS

**ACGIH:** American Conference of Governmental Industrial Hygienists

**ADR:** Carriage of Dangerous Goods by Road (International Regulation)

**CAA:** Clean Air Act

**CAS:** Chemical Abstracts Service

**CERCLA:** Comprehensive Environmental Response, Compensation and Liability Act

**DSL:** Domestic Substances List

**EPA:** Environmental Protection Agency

**EU:** European Union

**f/cc:** Fibers per cubic centimeter

**HEPA:** High Efficiency Particulate Air

**HMIS:** Hazardous Materials Identification System

**IARC:** International Agency for Research on Cancer

**IATA:** International Air Transport Association

**IMDG:** International Maritime Dangerous Goods Code

**mg/m<sup>3</sup>:** Milligrams per cubic meter of air

**mmpcf:** Million particles per cubic meter

**NFPA:** National Fire Protection Association

**NIOSH:** National Institute for Occupational Safety and Health

**OSHA:** Occupational Safety and Health Administration

**29 CFR 1910.134 & 1926.103:** OSHA Respiratory Protection Standards

**29 CFR 1910.1200 & 1926.59:** OSHA Hazard Communication Standards

**PEL:** Permissible Exposure Limit (OSHA)

**PIN:** Product Identification Number

**PNOC:** Particulates Not Otherwise Classified

**PNOR:** Particulates Not Otherwise Regulated  
**PSP:** Product Stewardship Program  
**RCRA:** Resource Conservation and Recovery Act  
**REL:** Recommended Exposure Limit (NIOSH)  
**RID:** Carriage of Dangerous Goods by Rail (International Regulations)  
**SARA:** Superfund Amendments and Reauthorization Act  
**SARA Title III:** Emergency Planning and Community Right to Know Act  
**SARA Section 302:** Extremely Hazardous Substances  
**SARA Section 304:** Emergency Release  
**SARA Section 311:** MSDS/List of Chemicals and Hazardous Inventory  
**SARA Section 312:** Emergency and Hazardous Inventory  
**SARA Section 313:** Toxic Chemicals and Release Reporting  
**STEL:** Short Term Exposure Limit  
**SVF:** Synthetic Vitreous Fiber  
**TDG:** Transportation of Dangerous Goods  
**TLV:** Threshold Limit Value (ACGIH)  
**TSCA:** Toxic Substances Control Act  
**TWA:** Time Weighted Average

**Disclaimer:**

The information presented on this SDS (1) provides details on material identity, manufacturer/supplier information, hazard characterization and prevention, emergency response and other specialized information, (2) is considered to be accurate to the best of our knowledge, information and good faith belief as of the date of publication, (3) is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release of the material named, (4) should be read and used in conjunction with the company's relevant literature, (5) relates only to the specific material designated and may not be valid for such material used in combination with any other material or process and (6) is provided without warranty, expressed or implied, in law or in fact, of merchantability or fitness for a particular purpose. This document does not constitute a product specification and should not be relied on as such. Employers may use this SDS to supplement other information gathered by them in their efforts to assure the health and safety of their employees and the proper use of the product.